

07-10-00  
FISH & RICHARDSON P.C.

225 Franklin Street  
Boston, Massachusetts 02110-2804

Telephone  
617 542-5070

Facsimile  
617 542-8906

Web Site  
www.fr.com

PTO  
JUL 13 2000  
09/61192  
07/07/00

Frederick P. Fish  
1855-1930

K. Richardson  
1859-1951

July 7, 2000

Attorney Docket No.: 08415/003001

**Box Patent Application**  
Commissioner for Patents  
Washington, DC 20231

Presented for filing is a new original patent application of:

Applicant: WEN-TENG WU, PEI-MING WANG, TING-KUO HUANG AND  
GWO-FANG YUAN

Title: METHOD FOR CULTIVATION OF FILAMENTOUS FUNGI

Enclosed are the following papers, including those required to receive a filing date  
under 37 CFR 1.53(b):

	<u>Pages</u>
Specification	12
Claims	5
Abstract	1
Declaration	2
Drawing(s)	6

Enclosures:

- Assignment cover sheet and an assignment, 3 pages, and a separate \$40 fee.
- Small entity statement. This application is entitled to small entity status.
- A certified copy of the priority application will be filed at a later date.
- Postcard.

CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No. EL624271106US

I hereby certify under 37 CFR §1.10 that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, Washington, D.C. 20231

Date of Deposit

July 7, 2000

Signature

Typed or Printed Name of Person Signing Certificate

BOSTON

DALLAS

DELAWARE

NEW YORK

SAN DIEGO

SILICON VALLEY

TWIN CITIES

WASHINGTON, DC

Commissioner for Patents  
July 7, 2000  
Page 2

Under 35 USC 119, this application claims the benefit of a foreign priority application filed in Taiwan, serial number 89103793, filed March 3, 2000.

Basic filing fee	\$345
Total claims in excess of 20 times \$9	\$72
Independent claims in excess of 3 times \$39	\$0
Fee for multiple dependent claims	\$0
Total filing fee:	\$417

A check for the filing fee is enclosed. Please apply any other required fees or any credits to deposit account 06-1050, referencing the attorney docket number shown above.

If this application is found to be incomplete, or if a telephone conference would otherwise be helpful, please call the undersigned at (617) 542-5070.

Kindly acknowledge receipt of this application by returning the enclosed postcard.

Please send all correspondence to:

Y. ROCKY TSAO  
Fish & Richardson P.C.  
225 Franklin Street  
Boston, MA 02110-2804

Respectfully submitted,



YRocky Tsao  
Reg. No. 34,053  
Enclosures  
YRT/dzs  
20053407 doc

Applicant or Patentee: Wen-Teng WU, Pei-Ming WANG,  
Ting-Kuo HUANG and Gwo-Fang YUAN  
Serial or Patent No.: \_\_\_\_\_  
Filed or Issued: \_\_\_\_\_  
For: METHOD FOR CULTIVATION OF FILAMENTOUS FUNGI

Attorney's

Docket No.: \_\_\_\_\_

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY  
STATUS (37 CFR 1.9(f) and 1.27 (d)) - NONPROFIT ORGANIZATION**

I hereby declare that I am an official empowered to act on behalf of the nonprofit organization identified below:

NAME OF ORGANIZATION Food Industry Research & Development Institute  
ADDRESS OF ORGANIZATION No.331, Food Road, Hsinchu, Taiwan, R.O.C.  
TYPE OF ORGANIZATION  
( ) UNIVERSITY OR OTHER INSTITUTION OF HIGHER EDUCATION  
( ) TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE (26 USC 501(a) and 501(c)(3))  
( ) NONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE OF STATE OF THE UNITED STATES OF AMERICA  
(NAME OF STATE \_\_\_\_\_)  
(CITATION OF STATUTE \_\_\_\_\_)  
(X) WOULD QUALIFY AS TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE (26 USC 501(a) and 501(c)(3)) IF LOCATED IN THE UNITED STATES OF AMERICA  
( ) WOULD QUALIFY AS NONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE OF STATE OF THE UNITED STATES OF AMERICA IF LOCATED IN THE UNITED STATES OF AMERICA  
(NAME OF STATE \_\_\_\_\_)  
(CITATION OF STATUTE \_\_\_\_\_)

I hereby declare that the nonprofit organization identified above qualifies as a nonprofit organization as defined in 37 CFR 1.9(e) for purposes of paying reduced fees under section 41(a) or (b) of Title 35, United States Code with regard to the invention entitled METHOD FOR CULTIVATION OF FILAMENTOUS FUNGI by inventor(s) Wen-Teng WU, Pei-Ming WANG, Ting-Kuo HUANG and Gwo-Fang YUAN

described in

(X) the specification filed herewith  
( ) application serial no. \_\_\_\_\_, filed \_\_\_\_\_  
( ) patent no. \_\_\_\_\_, issued \_\_\_\_\_

I have declare that rights under contract or law have been conveyed to and remain with the nonprofit organization with regard to the above identified invention.

If the rights held by the nonprofit organization are not exclusive, each individual, concern or organization having rights to the invention is listed below\* and no rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(d) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).  
\*NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities (37 CFR 1.27)

NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
( ) INDIVIDUAL ( ) SMALL BUSINESS CONCERN ( ) NONPROFIT ORGANIZATION

NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
( ) INDIVIDUAL ( ) SMALL BUSINESS CONCERN ( ) NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING Tin-Yin LIU  
TITLE IN ORGANIZATION Director  
ADDRESS OF PERSON SIGNING No.281, Food Road, Hsinchu, Taiwan, R.O.C.  
SIGNATURE [Signature] DATE April 10, 2000

APPLICATION  
FOR  
UNITED STATES LETTERS PATENT

TITLE: METHOD FOR CULTIVATION OF FILAMENTOUS FUNGI  
APPLICANT: WEN-TENG WU, PEI-MING WANG, TING-KUO HUANG  
AND GWO-FANG YUAN

CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No. EL624271106US

I hereby certify under 37 CFR §1.10 that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, Washington, D C 20231

Date of Deposit

July 7, 2000

Signature

Samantha Bell  
Typed or Printed Name of Person Signing Certificate

TITLE

**METHOD FOR CULTIVATION OF FILAMENTOUS FUNGI**

BACKGROUND OF THE INVENTION

**Field of the Invention**

5 The present invention relates to a method for cultivation of filamentous fungi, and more particularly to a method for cultivation of filamentous fungi by using suspended nutritionally solid substrates.

**Description of the Related Arts**

10 Generally, the method for fermentation of filamentous fungi can include the use of solid-state culture or submerged culture. The conventional method for the most part uses solid-state culture. One example of producing metabolites from *Monascus* species is directly inoculating *Monascus* species into solid nutritional medium such as grain medium, for example rice or wheat. Then, fermentation is carried out. The mycelia of *Monascus* species penetrate into the surface of the solid nutritional medium and grow during the period of fermentation. The pigments produced are absorbed so that the color of the medium turns purple. In addition, the mycelia also penetrate inside the grain particles. This phenomenon facilitates the production of pigments. In 1991, Johns and Stuar employed Carrageenan particles consisting of synthetic medium to simulate grain in culture (Johns and Stuar, (1991) *J. Industrial Microbiology*, 8:23-28). However, due to reasons such as structure, nutrition components, etc, the synthetic medium is not suitable for *Monascus* species in the production based

Client's Ref.:

File: 0470-5039-US/ Final/ Frank

on solid-state culture. Generally, to adequately make use of medium and maintain optimal temperature and humidity, the operation procedures of conventional solid-state culture are complex and time-consuming. Moreover, some problems such as the restriction of oxygen transfer, contamination, etc., also make the scale-up difficult.

Furthermore, because of the disadvantages of solid-state culture described above, the quality and quantity of the products are usually unstable. To solve this problem, many studies have developed submerged culture to carry out the fermentation. In 1982, Lin and Lizuka employed saccharide and cereal meals as a carbon source to solve the problems of scale-up and operation control (Lin and Lizuka, (1982) *Appl. Environ. Microbiology*, **43**:671-676). However, the yield of the pigments is significantly reduced using this method. In 1984, Evans and Wang employed algin (an inert substance in which no nutrient is contained) to immobilize *Monascus* species and then carry out submerged culture. The result showed the phenomenon of mycelia attachment conduces the production of the pigments (Evans and Wang, (1984) *Applied and Environmental Microbiology* **47**(6): 1323-1326). In 1990, Mak et. al. introduced roller bottle culture, which has the properties of high oxygen mass transfer and low shear stress to provide an environment for mycelia attachment, and used glucose as a carbon source to carry out the cultivation of *Monascus* species (Mak et. al., (1990) *Enzyme Microbiol. Technol.*, **12**:965-968). However, due to the nature of the roller bottle, the scale of the production is too small using this method. In 1995, Lee et. al. used tapioca starch as a

carbon source and pointed out that a high initial starch concentration in the medium is not suitable for practical use due to high viscosity of the medium (Lee et. al., (1995) *J. Fermentation of Bioengineering*, 79(5): 516-518).

- 5 They proposed a solid-liquid state culture with gelatinized starch block provided at the bottom and a dilute soluble starch at the upper part of the reactor. The cultivation was carried out in a stirred-tank bioreactor. However, their proposed approach might have scale-up problem since  
10 the interface area to volume ratio is small for a large-scale system.

These examples of submerged culture of filamentous fungi use nutritional medium such as algin and tapioca starch. All show poor fermentation yields.

- 15 Thus, the primary object of the present invention aims to improve the poor fermentation yields described above.

- In addition, another object of the present invention is to carry out the submerged culture under the conditions of mycelia attachment and to avoid destroying mycelia and the  
20 attached material by the shear stress of the bioreactor, thus improving the process of producing filamentous fungi and to scale up the production of metabolites.

#### SUMMARY OF THE INVENTION

- 25 It is therefore an object of the present invention to provide a method for cultivation of filamentous fungi such as *Monascus* species by using a suspended nutritionally solid substrate, the method comprising the steps of: (a) preparing a medium comprising the nutritionally solid substrate; and  
30 (b) inoculating an inoculum into the medium comprising the

Client's Ref.:

File: 0470-5039-US/ Final/ Frank

nutritionally solid substrate in a bioreactor to carry out fermentation.

The method of the present invention can alternatively comprise a step of inoculating the filamentous fungi after  
5 step (a) to obtain an inoculum, then inoculating said inoculum into the medium comprising the nutritionally solid substrate in a bioreactor to carry out fermentation.

In the method according to the present invention, the bioreactor is a pneumatic bioreactor, more preferably an  
10 air-lift bioreactor with a net draft tube.

The method of the present invention can further comprise a step of cultivating the filamentous fungi using the fed-batch process, wherein the medium of the batch comprises a nitrogen source and the nutritionally solid  
15 substrate.

#### **BRIEF DESCRIPTION OF THE DRAWINGS**

The present invention will be more fully understood and further advantages will become apparent when reference is  
20 made to the following description of the invention and the accompanying drawings in which:

FIG. 1 is a diagram showing the time course of the cultivation of *Monascus* species and pigments produced by fermentation using different types of nutritional substrate.

25 FIG. 2 is a diagram showing the effects of the cultivation of *Monascus* species and pigments produced using different periods of inoculum.

FIG. 3 is a diagram showing the fluid properties of a two-phase pneumatic bioreactor by using air-water as the



fluid system, wherein the initial height of the liquid is 120 cm and the temperature is set at 30°C.

FIG. 4 is a diagram showing the fluid properties of three-phase pneumatic bioreactor by using 2% rice particle-air-water as the fluid system, wherein the initial height of the liquid is 120 cm and the temperature is set at 30°C.

FIG. 5 is a diagram showing the production of *Monascus* pigments by using three different pneumatic bioreactors.

FIG. 6 is a diagram showing the production of *Monascus* pigments by using the process of fed-batch in an air-lift bioreactor with a net draft tube.

#### DETAILED DESCRIPTION OF THE INVENTION

In embodiment of the present invention described herein, the filamentous fungi used is *Monascus*. However, other filamentous fungi, such as *Penicillium*, *Aspergillus*, etc., with the similar growth properties are also suitable for the application of the present invention.

According to the present invention, the method for cultivation of filamentous fungi such as *Monascus* species by using a suspended nutritionally solid substrate comprises the following steps: (a) preparing a medium comprising the nutritionally solid substrate; and (b) inoculating an inoculum into the medium comprising the nutritionally solid substrate in a bioreactor to carry out fermentation.

The term "nutritionally solid substrates" used herein is defined as a substrate which keeps its solid morphology in medium to provide a place where the mycelia can attach to, and to provide a carbon source required for the growth of the fungi. The carbon source can be, for example,

Client's Ref.:

File: 0470-5039-US/ Final/ Frank

carbohydrates. Suitable carbohydrate includes, but are not limited to, rice, wheat and other grains. Prior to adding to the medium, the grain may be treated by the process of husking, cocking and sterilizing. Because the structure of the grain (e.g. rice or wheat) is very suitable for mycelia attachment, and grain can provide the major nutrition source for the fungi, the cultivation of *Monascus* species of the present invention is carried out by using a medium comprising suspended nutritionally solid substrate such as rice substrates, so that it can possess both the properties of mycelia attachment and suspended fluidity.

The medium used in step (a) according to the present invention further comprises the components of a nitrogen source, inorganic salts and trace elements.

The present invention further comprises a step of inoculating the filamentous fungi after step (a) to obtain an inoculum, the method comprising the steps of: (1) inoculating said filamentous fungi from a stock culture to a new agar plate and incubating in an incubator for 5 ~ 7 days; (2) washing spores and mycelia grown on said plate with sterile water; (3) cultivating said spores/mycelia in a medium comprising a nutritionally solid substrate by shaking; and (4) inoculating a culture cultivated for 36 ~ 48 hours at step (3) into a bioreactor.

Bioreactors can be classified as pneumatic or stirred-tank according to the mixing system. The term "pneumatic bioreactor" means mixing air with medium by aerating, whereas the term "stirred-tank bioreactor" means mixing air with medium by stirring with a stirring wing. The "air-lift bioreactor" is a pneumatic bioreactor equipped with a draft

tube, whereas the "air-lift bioreactor with double net draft tubes" is a pneumatic bioreactor equipped with a concentric double net draft tubes (an example is described later). To maintain the mycelia and nutritionally solid substrates

5 intact and avoid the destructiveness of a large shear stress, the present invention uses the pneumatic bioreactor to cultivate *Monascus* species, preferably the air-lift bioreactor with double net draft tubes.

10 The method of the invention further comprises cultivating the filamentous fungi using the fed-batch process, wherein the medium of the batch comprises a nitrogen source and a nutritionally solid substrate described above.

15 Without intending to limit it in any manner, the present invention will be further illustrated by the following examples.

#### EXAMPLE 1

20 **The effect of different types of nutritional substrates upon the yield of the pigment**

The M15 strain (*Monascus purpureus*, deposit number: CCRC 31615, Hsinchu, Taiwan) and Medium A (including 2% rice particles or 2% rice powder as the carbon source, 1.26% monosodium glutamate, 0.24%  $\text{KH}_2\text{PO}_4$ , 0.24%  $\text{K}_2\text{HPO}_4$ , 0.8%  
25  $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$ , 0.05%  $\text{KCl}$ , 0.001%  $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$ , 0.001%  $\text{ZnSO}_4 \cdot 7\text{H}_2\text{O}$  and 0.0003%  $\text{MnSO}_4 \cdot \text{H}_2\text{O}$ ) were employed for submerged culture.

Before shaken flask cultivation, *Monascus* was inoculated from a stock culture to a new medium plate  
30 containing 39 g/L of Potato-Dextrose Agar (PDA). The plate

Client's Ref:

File: 0470-5039-US/ Final/ Frank

was incubated at 30°C for 6 days. 6 ml of sterile water suspension from the 6-day-old PDA plate was used as seed for the preparation of inoculum. A 1 liter Erlenmeyer flask containing 300 ml of culture medium was inoculated with 3 ml of spore/mycelium suspension and incubated at 30°C on a rotary shaker at 200 rpm. The 2-day-old culture broth was used as inoculum for the submerged cultivation. The pigments production was carried out in 1 liter shaken flasks, each containing 270 ml of culture medium and inoculated with 30 ml of mycelium broth. The flasks were incubated at 30°C on rotary shaker at 200 rpm, and the yield of pigments was monitored. The result is shown in Fig. 1.

#### Result:

The red pigments produced by using medium containing suspended rice particles were 2 fold higher than those produced by using medium containing rice powder. The reason might be the attachment of the fungi to the grains as in the solid-state culture.

#### EXAMPLE 2

##### **The effect of inoculation time upon the yield of the pigment**

The shaken-flask cultivation was carried out by using medium A except only 2% rice particles were employed as the carbon source. The 24, 36, 48, 60, 72 and 84-hour-old inoculum was inoculated into 1 liter Erlenmeyer flask containing culture medium for shaken-flask cultivation. The result is shown in Fig. 2, wherein the 36 and 48-hour-old inoculum have better production of pigments (after

cultivation for 50 hours, the absorbance of OD<sub>500</sub> can reach 12 units).

### EXAMPLE 3

#### 5    **The fluid properties of the pneumatic bioreactor**

3 types of pneumatic bioreactors (13 cm in diameter and 200 cm in height) were used to compare their fluid properties, namely: (1) a conventional bubble column bioreactor (without the draft tubes), also called bubble  
10 column for short; (2) an air-lift bioreactor (equipped with a draft tube, which was 100 cm high and 8.5 cm in diameter), also called air-lift for short; and (3) an air-lift bioreactor with double net draft tubes (equipped with a concentric double net draft tubes which were 100 cm high and  
15 respectively 6 cm and 8.5 cm in diameter, wherein the mesh number of the draft tubes was 3), also called net column for short. The two-phase system (air-water) and three-phase system (2% rice particle- air-water) were used herein as the fluid systems, respectively.

20        The properties of the bioreactor were evaluated in terms of transport phenomena, including (1) gas holdup; (2) oxygen mass transfer coefficient; and (3) liquid mixing time. The gas holdup,  $\epsilon$ , was measured by the volume expansion method. The oxygen mass transfer coefficient,  $k_L a$ , was  
25 determined by the dynamic method. The liquid mixing time was measured by dynamic heat-transfer method.

#### Result:

Referring to Figs. 3 and 4, the fluid properties of the  
30 air-lift bioreactor with net draft tubes are better.

Generally, the solid particles contained in culture broth in the bubble column bioreactor will decrease gas holdup, oxygen mass transfer coefficient and liquid mixing time, and thus seriously affecting the efficiency of bioreactor.

5 After adding rice particles, all transport phenomena will be decreased whether in bubble column bioreactor or in air-lift bioreactor with net draft tubes. However, as shown in Fig. 4, the fluid properties of the air-lift bioreactor with net draft tubes are better than those of bubble column  
10 bioreactor. Thus, the air-lift bioreactor with net draft has less shear stress and is suitable for the fermentation of such aerobic microorganisms.

#### **EXAMPLE 4**

##### **15 Cultivation of *M. purpureus* in pneumatic bioreactor**

Batch culture of *M. purpureus* with suspended 2% rice particles was carried out in 3 types of pneumatic bioreactors to compare the yield of *Monascus* pigments. Cultivation was carried out with 15 liters culture medium at  
20 30°C under the aeration of 2 VVM (i.e. superficial air velocity of 3.768 cm/sec) and inoculated with 8.5% mycelium broth, which was 48-hour-old inoculum. The yield of pigments was evaluated by spectrophotometry (DU-530, Beckman Instruments, U.S.A.), including 500, 475 and 400 nm for red,  
25 orange and yellow pigments, respectively. The result is shown in Fig. 5.

#### **Result:**

The yield of *Monascus* pigments in the air-lift  
30 bioreactor with net draft tubes is the best among the 3

types of pneumatic bioreactors tested. After cultivation for 60 hours, the absorbance of OD<sub>500</sub> can reach 18 units, which is also better than that in shaken-flask cultivation (refer to Fig. 1). It is observed that the yields of

5 *Monascus* pigments in bubble column bioreactor and in air-lift bioreactor are not higher than those in shaken-flask cultivation. One reason is the small scale of shaken-flask cultivation (about 300 ml relative to 15 liters of broth in bioreactor); thus, gas is easily mixed with liquid by

10 shaking. On the other hand, both the bubble column bioreactor and the air-lift bioreactor have the disadvantage of not mixing well after scale-up. The three-phase system of an air-lift bioreactor with net draft tubes according to the present invention has the advantages of better mixing,

15 and thus is suitable for cultivation of filamentous fungi.

#### EXAMPLE 5

##### **Fed-batch cultivation of *M. purpureus* in air-lift bioreactor with net draft tubes**

20 During the process of fermentation, the rice particles were broken down and destroyed due to the effects of mycelia penetration and shear stress, such that the content of rice particles were decreased. Thus, the fermentation broth was supplemented with the rice particles using the fed-batch

25 process to maintain the three-phase fermentation system. The condition of the fermentation was the same as batch cultivation described in Example 4, and the medium used herein also contained 2% rice particles and 1.26% monosodium glutamate. The total culture time was 200 hours, and the

30 medium was fed on the 35<sup>th</sup> and 100<sup>th</sup> hour. The result is

Client's Ref.:

File: 0470-5039-US/ Final/ Frank

shown in Fig. 6, revealing the absorbance of OD<sub>500</sub> can reach 36 units, which is 2 fold higher than that in batch cultivation.

The present invention improves the yield of metabolites such as *Monascus* pigments in submerged fermentation. It combines the characteristics of solid-state fermentation and submerged fermentation to achieve the properties of mycelia attachment and suspended fluidity, thereby solving the problems of scale-up and operation in solid-state fermentation. The present invention employs an air-lift bioreactor with a net draft tube to provide the dissolved oxygen required for the growth of cells and to avoid destroying mycelia and rice structure by the shear stress of the bioreactor. Moreover, the present invention also employs the fed-batch process to supplement the rice and nutrition consumed during the fermentation, thereby elevating the yield of *Monascus* pigments.

While the invention has been particularly shown and described with the reference to the preferred embodiment thereof, it will be understood by those skilled in the art that various changes in form and details may be made without departing from the spirit and scope of the invention.



Client's Ref:

File: 0470-5039-US/ Final/ Frank

**WHAT IS CLAIMED IS:**

1           1. A method for cultivation of filamentous fungi  
2 comprising the steps of:

3           (a) preparing a medium comprising a suspended  
4 nutritionally solid substrate; and

5           (b) inoculating an inoculum into said medium comprising  
6 said nutritionally solid substrate in a bioreactor to carry  
7 out fermentation.

1           2. The method as claimed in claim 1, wherein said  
2 filamentous fungi comprise *Monascus*, *Penicillium* or  
3 *Aspergillus*.

1           3. The method as claimed in claim 1, wherein said  
2 nutritionally solid substrate is a carbohydrate.

1           4. The method as claimed in claim 3, wherein said  
2 carbohydrate is grain.

1           5. The method as claimed in claim 4, further comprising  
2 the steps of husking, cocking and sterilizing said grain  
3 before adding to said medium.

1           6. The method as claimed in claim 1, wherein said  
2 medium in step (a) further comprises a nitrogen source,  
3 inorganic salts and trace elements.

1           7. The method as claimed in claim 1, further comprising  
2 a step of inoculating said filamentous fungi after step (a)  
3 to obtain said inoculum, and then inoculating said inoculum

Client's Ref.:

File: 0470-5039-US/ Final/ Frank

4 into said medium comprising said nutritionally solid  
5 substrate in a bioreactor to carry out fermentation.

1 8. The method as claimed in claim 7, wherein the step  
2 of inoculating said filamentous fungi comprises:

3 (1) inoculating said filamentous fungi from a stock  
4 culture to a new agar plate and incubating in an incubator  
5 for 5 ~ 7 days;

6 (2) washing spores and mycelia grown on said plate with  
7 sterile water;

8 (3) cultivating said spores/mycelia in a medium  
9 comprising a nutritionally solid substrate by shaking; and

10 (4) inoculating a culture cultivated for 36 ~ 48 hours  
11 at step (3) into a bioreactor.

1 9. The method as claimed in claim 8, wherein said  
2 bioreactor is a pneumatic bioreactor.

1 10. The method as claimed in claim 9, wherein said  
2 pneumatic bioreactor is an air-lift bioreactor with a net  
3 draft tube.

1 11. The method as claimed in claim 1, further  
2 comprising cultivating said filamentous fungi using the fed-  
3 batch process.

1 12. The method as claimed in claim 11, wherein the  
2 medium of the batch comprises a nitrogen source and a  
3 nutritionally solid substrate.

1           13. A method for cultivation of *Monascus* species by  
2 using a suspended grain substrate comprising the steps of:

3           (a) preparing a medium comprising a suspended grain  
4 substrate; and

5           (b) inoculating an inoculum into said medium comprising  
6 said grain substrate in a bioreactor to carry out  
7 fermentation.

1           14. The method as claimed in claim 13, further  
2 comprising the steps of husking, cocking and sterilizing  
3 said grain before adding to said medium.

1           15. The method as claimed in claim 13, further  
2 comprising a step of inoculating said *Monascus* species after  
3 step (a) to obtain said inoculum, and then inoculating said  
4 inoculum into said medium comprising said nutritionally  
5 solid substrate in a bioreactor to carry out fermentation.

1           16. The method as claimed in claim 15, wherein the step  
2 of inoculating said *Monascus* species comprises:

3           (1) inoculating said *Monascus* species from a stock  
4 culture to a new agar plate and incubating in an incubator  
5 for 5 ~ 7 days;

6           (2) washing spores and mycelia grown on said plate with  
7 sterile water;

8           (3) cultivating said spores/mycelia in a medium  
9 comprising a grain substrate by shaking; and

10          (4) inoculating a culture cultivated for 36 ~ 48 hours  
11 at step (3) into a bioreactor.

1           17. The method as claimed in claim 16, wherein said  
2     bioreactor is a pneumatic bioreactor.

1           18. The method as claimed in claim 17, wherein said  
2     pneumatic bioreactor is an air-lift bioreactor with a net  
3     draft tube.

1           19. The method as claimed in claim 13, further  
2     comprising cultivating said *Monascus* species using the fed-  
3     batch process.

1           20. The method as claimed in claim 19, wherein the  
2     medium of the batch comprises a nitrogen source and a grain  
3     substrate.

1           21. A method for producing metabolites from the  
2     cultivation of *Monascus* species by using a suspended grain  
3     substrate comprising the steps of:

4           (a) preparing a medium comprising a suspended grain  
5     substrate; and

6           (b) inoculating an inoculum into said medium comprising  
7     said grain substrate in a bioreactor to carry out  
8     fermentation.

1           22. The method as claimed in claim 21, further  
2     comprising the steps of husking, cocking and sterilizing  
3     said grain before adding to said medium.

1           23. The method as claimed in claim 21, further  
2     comprising a step of inoculating said *Monascus* species after

3 step (a) to obtain said inoculum, and then inoculating said  
4 inoculum into said medium comprising said nutritionally  
5 solid substrate in a bioreactor to carry out fermentation.

1 24. The method as claimed in claim 23, wherein the step  
2 of inoculating said *Monascus* species comprises:

3 (1) inoculating said *Monascus* species from a stock  
4 culture to a new agar plate and incubating in an incubator  
5 for 5 ~ 7 days;

6 (2) washing spores and mycelia grown on said plate with  
7 sterile water;

8 (3) cultivating said spores/mycelia in a medium  
9 comprising a grain substrate by shaking; and

10 (4) inoculating a culture cultivated for 36 ~ 48 hours  
11 at step (3) into a bioreactor.

1 25. The method as claimed in claim 24, wherein said  
2 bioreactor is a pneumatic bioreactor.

1 26. The method as claimed in claim 25, wherein said  
2 pneumatic bioreactor is an air-lift bioreactor with a net  
3 draft tube.

1 27. The method as claimed in claim 20, further  
2 comprising cultivating said *Monascus* species using the fed-  
3 batch process.

1 28. The method as claimed in claim 27, wherein the  
2 medium of the batch comprises a nitrogen source and a grain  
3 substrate.

**TITLE**

**METHOD FOR CULTIVATION OF FILAMENTOUS FUNGI**

5                   **ABSTRACT OF THE DISCLOSURE**

          The invention discloses a method for cultivation of  
filamentous fungi using a suspended nutritionally solid  
substrate, the method including the steps of: (a) preparing  
a medium comprising a nutritionally solid substrate; and (b)  
10    inoculating an inoculum into the medium comprising the  
nutritionally solid substrate in a bioreactor to carry out  
fermentation. The present invention combines the properties  
of solid-state culture and submerged culture. In addition,  
the present invention may employ an air-lift bioreactor with  
15    a net draft tube and the fed-batch process to elevate the  
yields of filamentous fungi and metabolites thereof.




FIG. 1




FIG. 2








FIG. 4




FIG. 5




FIG. 6

# COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled METHOD FOR CULTIVATION OF FILAMENTOUS FUNGI

\_\_\_\_\_, the specification of which

☒ is attached hereto.

☐ was filed on \_\_\_\_\_ as Application Serial No. \_\_\_\_\_  
and was amended on \_\_\_\_\_.

☐ was described and claimed in PCT International Application No. \_\_\_\_\_  
filed on \_\_\_\_\_ and as amended under PCT Article 19 on \_\_\_\_\_.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information I know to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application(s) of which priority is claimed:

COUNTRY	APPLICATION NO.	FILING DATE	PRIORITY CLAIMED
Taiwan, R.O.C.	89103793	3/3/2000	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
_____	_____	_____	<input type="checkbox"/> Yes <input type="checkbox"/> No

I hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Paul T. Clark, Reg. No. 30,162; Eric L. Prah, Reg. No. 32,590, and Y. Rocky Tsao, Reg. No. 34,053.

Address all telephone calls to Y. Rocky Tsao at telephone number 617/542-5070.

Address all correspondence to Y. Rocky Tsao, Fish & Richardson P.C., 225 Franklin Street, Boston, MA 02110-2804.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Full Name of Inventor: Wen-Teng Wu

Inventor's Signature: Wen-Teng Wu Date: Mar. 29, 2000

Residence Address: same as the post office address

Citizen of: Taiwan, R.O.C.

Post Office Address: 2F, No. 83, East Yun, Chin-Hua University, II Sec., Kuang-Fu Rd., Lin 7, Kuang-Min Li, East Dist., Hsinchu, Taiwan, R.O.C.

Revised: August 24, 1994 (39)DECL.MRG)

# COMBINED DECLARATION AND POWER OF ATTORNEY

Full Name of Inventor: Pei-Ming WANG

Inventor's Signature: Pei-Ming Wang Date: Mar. 29, 2000

Residence Address: same as the post office address

Citizen of: Taiwan, R.O.C.

Post Office Address: No.21, Lane 340, Chung-Hsiao I Rd., Lin 5, Cheng-Kung Li, Hsin-Hsing Dist. Kaohsiung, Taiwan, R.O.C.

Full Name of Inventor: Ting-Kuo HUANG

Inventor's Signature: Ting-Kuo Huang Date: Mar. 29, 2000

Residence Address: same as the post office address

Citizen of: Taiwan, R.O.C.

Post Office Address: 1F, No.11, Lane 132, Min-Chin St., Lin 8, Min-Hsiang Li, Chang-He City, Taipei Hsien, Taiwan, R.O.C.

Full Name of Inventor: Gwo-Fang YUAN

Inventor's Signature: Gwo Fang Yuan Date: Mar. 29, 2000

Residence Address: same as the post office address

Citizen of: Taiwan, R.O.C.

Post Office Address: No.11, Alley 45, Lane 400, Min-Hu Rd., Hsinchu, Taiwan, R.O.C.

Full Name of Inventor: \_\_\_\_\_

Inventor's Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Residence Address: \_\_\_\_\_

Citizen of: \_\_\_\_\_

Post Office Address: \_\_\_\_\_

Full Name of Inventor: \_\_\_\_\_

Inventor's Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Residence Address: \_\_\_\_\_

Citizen of: \_\_\_\_\_

Post Office Address: \_\_\_\_\_